

frozy

Ice Makers



www.frozy.com.tr
2025



maximICE with **frozy**



frozy

About us

In our modern facilities established in Eskisehir Organized Industrial Site with 7000m² area, we produce produce commercial and gastronomy type coolers & freezers.

With expert staff that have great experience and knowledge, starting from market needs to product design, production and quality processes reaching the customer every step has been designed professionally. We are operating as a business that makes a difference with its ntelligent and flexible production system as well as superior quality of understanding.



01

DESCRIPTION

Sticker with unique serial and order number, from ERP System is stuck to the product.



03

VACCUUM PUMPING

Vacuum cleaning of the cooling system is made in accordance with the limit values on the database.



05

GAS LEAK CONTROL

High pressure leak control on the working product is made in an accuracy to be able to catch the leak in the amount of 0,5 gr/year.



02

POLYURETHANE


The polyurethane charge is made in accordance with the limit values on the database.



04

GAS LEAK CONTROL

High pressure leak control on the working product is made in an accuracy to be able to catch the leak in the amount of 0,5 gr/year.



9 ADIMDA KALİTE QUALITY IN 9 STEPS



07




LONG PERFORMANCE

The long performance tests, as well as the quantity controls, are made in accordance with the limit values on the database after the product is worked and ice is produced.

09

VALIDATION OF SHIPMENT

All test data of the validated product is stored on the database and the product shipment validation is given.



06

ELECTRICITY TEST

Electric safety tests are carried out with four different tests in accordance with the limit values on the database.

08

AUDIT

The final checks of the product are performed from the viewpoint of customers and the validation process is carried out through the database



frozy | Gourmet Ice



USAGE AREAS






frozy



all undercounter



Refrigerant Gas	R404a	R290
Production Capacity	22 kg	22 kg
Storage Capacity	4 kg	4 kg
Ice Capacity Per Cycle (unit)	18	18
Ice Type	Gourmet Ice	Gourmet Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	400 W	270 W
Daily Electric Consumption	6,7 kW	4,5 kW
Product Weight (kg)	30 kg	30 kg
Product Dimension (w*d*h)	355*435*590	355*435*590
Packing Dimension (w*d*h)	415*495*765	415*495*765

FR25G



1.500€



FR30G

Refrigerant Gas	R404a	R290
Production Capacity	27 kg	26 kg
Storage Capacity	8 kg	8 kg
Ice Capacity Per Cycle (unit)	18	18
Ice Type	Gourmet Ice	Gourmet Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	450 W	320 W
Daily Electric Consumption	7,5 kW	6,2 kW
Product Weight (kg)	34 kg	34 kg
Product Dimension (w*d*h)	390*515*640	390*515*640
Packing Dimension (w*d*h)	450*575*805	450*575*805


1.600€



frozy

built-in series
with front ventilation





Refrigerant Gas	R404a	R290
Production Capacity	32 kg	33 kg
Storage Capacity	16 kg	16 kg
Ice Capacity Per Cycle (unit)	28	28
Ice Type	Gourmet Ice	Gourmet Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz	230V-50 Hz
	115V-60 Hz	115V-60 Hz
Maximum Power	500 W	380 W
Daily Electric Consumption	9,0 kW	6,2 kW
Product Weight (kg)	43 kg	43 kg
Product Dimension (w*d*h)	500*580*690	500*580*690
Packing Dimension (w*d*h)	555*635*855	555*635*855

1.800€


FR35G



FR35UG

Refrigerant Gas	R404a	R290
Production Capacity	32 kg	33 kg
Storage Capacity	16 kg	16 kg
Ice Capacity Per Cycle (unit)	28	28
Ice Type	Gourmet Ice	Gourmet Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz	230V-50 Hz
	115V-60 Hz	115V-60 Hz
Maximum Power	535 W	410 W
Daily Electric Consumption	9,7 kW	7,4 kW
Product Weight (kg)	44 kg	44 kg
Product Dimension (w*d*h)	500*580*690	500*580*690
Packing Dimension (w*d*h)	555*635*855	555*635*855

1.975€



Refrigerant Gas	R404a	R290
Production Capacity	40 kg	37 kg
Storage Capacity	16 kg	16 kg
Ice Capacity Per Cycle (unit)	36	28
Ice Type	Gourmet Ice	Gourmet Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	550 W	420 W
Daily Electric Consumption	11,0 kW	7,6 kW
Product Weight (kg)	43 kg	43 kg
Product Dimension (w*d*h)	500*580*690	500*580*690
Packing Dimension (w*d*h)	555*635*855	555*635*855

1.900€


FR40G



FR40UG

Refrigerant Gas	R404a	R290
Production Capacity	40 kg	40 kg
Storage Capacity	28 kg	28 kg
Ice Capacity Per Cycle (unit)	36	28
Ice Type	Gourmet Ice	Gourmet Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	590 W	450 W
Daily Electric Consumption	11,8 kW	8,4 kW
Product Weight (kg)	44 kg	44 kg
Product Dimension (w*d*h)	500*580*690	500*580*690
Packing Dimension (w*d*h)	555*635*855	555*635*855

2.075€



Refrigerant Gas	R404a	R290
Production Capacity	47 kg	47 kg
Storage Capacity	28 kg	28 kg
Ice Capacity Per Cycle (unit)	44	36
Ice Type	Gourmet Ice	Gourmet Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	600 W	480 W
Daily Electric Consumption	13,7 kW	9,2 kW
Product Weight (kg)	47 kg	47 kg
Product Dimension (w*d*h)	500*580*800	500*580*800
Packing Dimension (w*d*h)	555*635*965	555*635*965

2.175€


FR50G



FR50UG

Refrigerant Gas	R404a	R290
Production Capacity	48 kg	48 kg
Storage Capacity	28 kg	28 kg
Ice Capacity Per Cycle (unit)	44	36
Ice Type	Gourmet Ice	Gourmet Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	650 W	520 W
Daily Electric Consumption	14,7 kW	9,5 kW
Product Weight (kg)	44 kg	44 kg
Product Dimension (w*d*h)	500*580*800	500*580*800
Packing Dimension (w*d*h)	555*635*965	555*635*965

2.325€



Refrigerant Gas	R404a	R290
Production Capacity	57 kg	57 kg
Storage Capacity	28 kg	28 kg
Ice Capacity Per Cycle (unit)	44	44
Ice Type	Gourmet Ice	Gourmet Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	600 W	510 W
Daily Electric Consumption	14,9 kW	9,2 kW
Product Weight (kg)	47 kg	47 kg
Product Dimension (w*d*h)	500*580*800	500*580*800
Packing Dimension (w*d*h)	555*635*965	555*635*965

2.375€

FR60G



FR60UG


Refrigerant Gas	R404a	R290
Production Capacity	48 kg	48 kg
Storage Capacity	28 kg	28 kg
Ice Capacity Per Cycle (unit)	44	36
Ice Type	Gourmet Ice	Gourmet Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	650 W	520 W
Daily Electric Consumption	14,7 kW	9,5 kW
Product Weight (kg)	44 kg	44 kg
Product Dimension (w*d*h)	500*580*800	500*580*800
Packing Dimension (w*d*h)	555*635*965	555*635*965

2.525€

frozy

gourmet ice





Refrigerant Gas	R404a	R290
Production Capacity	67 kg	66 kg
Storage Capacity	40 kg	40 kg
Ice Capacity Per Cycle (unit)	60	60
Ice Type	Gourmet Ice	Gourmet Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	800 W	590 W
Daily Electric Consumption	16,5 kW	10,6 kW
Product Weight (kg)	67 kg	67 kg
Product Dimension (w*d*h)	738*600*822	738*600*822
Packing Dimension (w*d*h)	800*670*995	800*670*995

2.775€


FR70G



FR70UG

Refrigerant Gas	R404a	R290
Production Capacity	67 kg	67 kg
Storage Capacity	40 kg	40 kg
Ice Capacity Per Cycle (unit)	60	60
Ice Type	Gourmet Ice	Gourmet Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	860 W	650 W
Daily Electric Consumption	17,5 kW	11,6 kW
Product Weight (kg)	68 kg	68 kg
Product Dimension (w*d*h)	738*600*822	738*600*822
Packing Dimension (w*d*h)	800*670*995	800*670*995

2.950€



Refrigerant Gas	R404a	R290
Production Capacity	85 kg	85 kg
Storage Capacity	40 kg	40 kg
Ice Capacity Per Cycle (unit)	60	60
Ice Type	Gourmet Ice	Gourmet Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz	230V-50 Hz
	115V-60 Hz	115V-60 Hz
Maximum Power	1100 W	640 W
Daily Electric Consumption	18,0 kW	11,5 kW
Product Weight (kg)	68 kg	68 kg
Product Dimension (w*d*h)	738*600*822	738*600*822
Packing Dimension (w*d*h)	800*670*995	800*670*995

3.100€


FR90G



FR90UG

Refrigerant Gas	R404a	R290
Production Capacity	85 kg	85 kg
Storage Capacity	40 kg	40 kg
Ice Capacity Per Cycle (unit)	60	60
Ice Type	Gourmet Ice	Gourmet Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz	230V-50 Hz
	115V-60 Hz	115V-60 Hz
Maximum Power	1180 W	700 W
Daily Electric Consumption	19,3 kW	12,5 kW
Product Weight (kg)	69 kg	69 kg
Product Dimension (w*d*h)	738*600*822	738*600*822
Packing Dimension (w*d*h)	800*670*995	800*670*995

3.250€



Refrigerant Gas	R404a	R290
Production Capacity	96 kg	96 kg
Storage Capacity	40 kg	40 kg
Ice Capacity Per Cycle (unit)	68	68
Ice Type	Gourmet Ice	Gourmet Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	1200 W	690 W
Daily Electric Consumption	18,0 kW	12,4 kW
Product Weight (kg)	68 kg	68 kg
Product Dimension (w*d*h)	738*600*822	738*600*822
Packing Dimension (w*d*h)	800*670*995	800*670*995

3.300€



FR100G



FR100UG


Refrigerant Gas	R404a	R290
Production Capacity	96 kg	96 kg
Storage Capacity	40 kg	40 kg
Ice Capacity Per Cycle (unit)	68	68
Ice Type	Gourmet Ice	Gourmet Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	1280 W	760 W
Daily Electric Consumption	19,7 kW	13,4 kW
Product Weight (kg)	70 kg	70 kg
Product Dimension (w*d*h)	738*600*822	738*600*822
Packing Dimension (w*d*h)	800*670*995	800*670*995

3.450€

frozy
eco friendly



R290
NATURAL REFRIGERANT



Refrigerant Gas	R404a	R290
Production Capacity	192 kg	192 kg
Ice Capacity Per Cycle (unit)	136	136
Ice Type	Gourmet Ice	Gourmet Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	1740 W	1280 W
Daily Electric Consumption	31,3 kW	21,2 kW
Product Weight (kg)	85 kg	85 kg
Product Dimension (w*d*h)	762*622*822	762*622*822
Packing Dimension (w*d*h)	820*680*935	820*680*935

6.000€

FR200G





frozy

ice *city*




frozy | *Nugget Ice*



USAGE AREAS





Refrigerant Gas	R404a	R290
Production Capacity	80 kg	80 kg
Storage Capacity	28 kg	28 kg
Ice Capacity Per Cycle (unit)	Continually	Continually
Ice Type	Nugget Ice	Nugget Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	650 W	610 W
Daily Electric Consumption	14,6 kW	14,3 kW
Product Weight (kg)	47 kg	47 kg
Product Dimension (w*d*h)	500*670*800	500*670*800
Packing Dimension (w*d*h)	555*725*965	555*725*965

3.400€

FR80N



FR120N

Refrigerant Gas	R404a	R290
Production Capacity	120 kg	120 kg
Storage Capacity	40 kg	40 kg
Ice Capacity Per Cycle (unit)	Continually	Continually
Ice Type	Nugget Ice	Nugget Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	1150 W	1050 W
Daily Electric Consumption	17,6 kW	17,2 kW
Product Weight (kg)	67 kg	67 kg
Product Dimension (w*d*h)	738*690*822	738*690*822
Packing Dimension (w*d*h)	800*750*995	555*635*965

4.100€

frozy



touch display




frozy | Snow Ice



USAGE AREAS





Refrigerant Gas	R404a	R290
Production Capacity	80 kg	80 kg
Storage Capacity	28 kg	28 kg
Ice Capacity Per Cycle (unit)	Continually	Continually
Ice Type	Snow Ice	Snow Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	650 W	610 W
Daily Electric Consumption	14,6 kW	14,3 kW
Product Weight (kg)	47 kg	47 kg
Product Dimension (w*d*h)	500*670*800	500*670*800
Packing Dimension (w*d*h)	555*725*965	555*725*965

3.500€

FR85S



FR125S

Refrigerant Gas	R404a	R290
Production Capacity	125 kg	125 kg
Storage Capacity	40 kg	40 kg
Ice Capacity Per Cycle (unit)	Continually	Continually
Ice Type	Snow Ice	Snow Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	1150 W	1050 W
Daily Electric Consumption	17,6 kW	17,2 kW
Product Weight (kg)	67 kg	67 kg
Product Dimension (w*d*h)	738*690*822	738*690*822
Packing Dimension (w*d*h)	800*750*995	555*635*965


4.250€

bar *consept*



frozy





Refrigerant Gas	R290
Production Capacity	140 kg
Storage Capacity	16 kg / 24 kg
Ice Capacity Per Cycle (unit)	44 / Continually
Ice Type	Gourmet Ice / Nugget Ice
Cooling System	Air
Climate Class	T
Voltage	230V-50 Hz 115V-60 Hz
Maximum Power	1050 W
Daily Electric Consumption	17,2 kW
Product Weight (kg)	88 kg
Product Dimension (w*d*h)	738*690*822
Packing Dimension (w*d*h)	800*750*995

4.450€

FR150GN



frozy



frozy

Hollow Ice



USAGE AREAS





Refrigerant Gas	R404a	R290
Production Capacity	45 kg	45 kg
Storage Capacity	16 kg	16 kg
Ice Capacity Per Cycle (unit)	28	28
Ice Type	Hollow Ice	Hollow Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	650 W	610 W
Daily Electric Consumption	14,6 kW	14,3 kW
Product Weight (kg)	44 kg	44 kg
Product Dimension (w*d*h)	500*580*690	500*580*690
Packing Dimension (w*d*h)	555*635*855	555*635*855

1.950€

FR45H



FR55H

Refrigerant Gas	R404a	R290
Production Capacity	55 kg	55 kg
Storage Capacity	28 kg	28 kg
Ice Capacity Per Cycle (unit)	44	44
Ice Type	Hollow Ice	Hollow Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	1150 W	1050 W
Daily Electric Consumption	17,6 kW	17,2 kW
Product Weight (kg)	48 kg	48 kg
Product Dimension (w*d*h)	500*580*800	500*580*800
Packing Dimension (w*d*h)	555*635*965	555*635*965


2.100€

frozy





frozy *home*



Refrigerant Gas	R290
Production Capacity	22 kg
Storage Capacity	6 kg
Ice Capacity Per Cycle (unit)	18
Ice Type	Gourmet Ice
Cooling System	Air
Climate Class	T
Voltage	230V-50 Hz 115V-60 Hz
Maximum Power	270 W
Daily Electric Consumption	4,8 kW
Product Weight (kg)	34 kg
Product Dimension (w*d*h)	592*555*449
Packing Dimension (w*d*h)	652*615*509

FR22G



2.500€



FR27G

Refrigerant Gas	R290
Production Capacity	26 kg
Storage Capacity	6 kg
Ice Capacity Per Cycle (unit)	18
Ice Type	Gourmet Ice
Cooling System	Air
Climate Class	T
Voltage	230V-50 Hz 115V-60 Hz
Maximum Power	320 W
Daily Electric Consumption	5,7 kW
Product Weight (kg)	38 kg
Product Dimension (w*d*h)	592*555*588
Packing Dimension (w*d*h)	652*615*648

2.900€

frozy *home*





frozy



frozy

modular series




frozy | Dice Ice



USAGE AREAS





FR250D

Refrigerant Gas	R404a	R290
Production Capacity	230 kg	230 kg
Ice Capacity Per Cycle (unit)	260	260
Ice Type	Full Dice	Full Dice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	1630 W	1200 W
Daily Electric Consumption	29,3 kW	21,4 kW
Product Weight (kg)	68 kg	68 kg
Product Dimension (w*d*h)	762*622*575	762*622*575
Packing Dimension (w*d*h)	820*680*755	820*680*755

5.350€



FR500D



Refrigerant Gas	R404a	R290
Production Capacity	450 kg	450 kg
Ice Capacity Per Cycle (unit)	440	440
Ice Type	Full Dice	Full Dice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	2060 W	1800 W
Daily Electric Consumption	37,0 kW	28,0 kW
Product Weight (kg)	98 kg	98 kg
Product Dimension (w*d*h)	762*622*792	762*622*792
Packing Dimension (w*d*h)	820*680*905	820*680*905

6.500€

maximICE withfrozy

A top-down view of a dining table set with various dishes and drinks. The table has a dark blue wooden surface. In the center is a large silver bowl filled with crushed ice and a spoon. Surrounding it are several plates and bowls: a plate with shrimp and green vegetables, a plate with bread, tomatoes, and olives, a plate with a hard-boiled egg, pickles, and cherry tomatoes, a plate with a salad, a small bowl of mixed olives, a glass of red wine, and several small glasses of water or other beverages. A white plate is also visible on the left side.

frozy

FISH




frozy | Flake Ice



USAGE AREAS





Refrigerant Gas	R404a	R290
Production Capacity	300 kg	300 kg
Ice Capacity Per Cycle (unit)	Continually	Continually
Ice Type	Flake Ice	Flake Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	1800 W	1500 W
Daily Electric Consumption	32,4 kW	26,5 kW
Product Weight (kg)	108 kg	108 kg
Product Dimension (w*d*h)	762*622*806	762*622*806
Packing Dimension (w*d*h)	820*690*1000	820*690*1000

7.200€

FR300F



FR550F

Refrigerant Gas	R404a	R290
Production Capacity	500 kg	500 kg
Ice Capacity Per Cycle (unit)	Continually	Continually
Ice Type	Flake Ice	Flake Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	2000 W	1800 W
Daily Electric Consumption	38,0 kW	29,5 kW
Product Weight (kg)	112 kg	112 kg
Product Dimension (w*d*h)	762*622*950	762*622*950
Packing Dimension (w*d*h)	820*690*1144	820*690*1144

7.600€


frozy




frozy | Crescent Ice



USAGE AREAS





Refrigerant Gas	R404a	R290
Production Capacity	72 kg	72 kg
Storage Capacity	40 kg	40 kg
Ice Capacity Per Cycle (unit)	112	112
Ice Type	Crescent Ice	Crescent Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	1220 W	710 W
Daily Electric Consumption	18,2 kW	12,6 kW
Product Weight (kg)	66 kg	66 kg
Product Dimension (w*d*h)	738*600*822	738*600*822
Packing Dimension (w*d*h)	800*670*995	800*670*995

2.600€

FR75C



FR350C

Refrigerant Gas	R404a	R290
Production Capacity	275 kg	275 kg
Ice Capacity Per Cycle (unit)	392	392
Ice Type	Crescent Ice	Crescent Ice
Cooling System	Air	Air
Climate Class	T	T
Voltage	230V-50 Hz 115V-60 Hz	230V-50 Hz 115V-60 Hz
Maximum Power	1740 W	1740 W
Daily Electric Consumption	31,3 kW	31,3 kW
Product Weight (kg)	86 kg	86 kg
Product Dimension (w*d*h)	762*622*892	762*622*892
Packing Dimension (w*d*h)	820*680*905	820*680*905

5.900€



frozy



frozy

storage bins





Capacity	175 kg
Gross Product Weight	42 kg
Volume (m³)	0,35
Usable Ice Makers	FR250/FR500/ FR300/FR550/ FR350C/FR200G
Product Dimension (w*d*h)	765*842*1002
Packing Dimension (w*d*h)	825*900*1030
Loading Quantities (20 DC)	28
Loading Quantities (40 HC)	56
Loading Quantities (Optima truck)	64

1.900€

SB200



SB400

Capacity	210 kg
Gross Product Weight	50 kg
Volume (m³)	0,42
Usable Ice Makers	FR250/FR500/ FR300/FR550/ FR350C/FR200G
Product Dimension (w*d*h)	765*842*1150
Packing Dimension (w*d*h)	825*900*1175
Loading Quantities (20 DC)	28
Loading Quantities (40 HC)	56
Loading Quantities (Optima truck)	64

2.100€

frozy

ice *makers*



Superior Features

frozy




SERVICE FRIENDLY
REMOVABLE PANELS



*The panels can be removed easily for
easy access of service technician to components.*





Sprayer System

SPRAYER SYSTEM



Crystal looking ice production capability by spraying filtered water taken from the system to horizontal positioned evaporator.




EASY CLEAN SURFACE



Easy clean surfaces with inox 304 quality stainless steel trunk.



AIR COOLED SYSTEM





The fan technology cooling compressor, condanser and water pump quietly.



ANTIBACTERIAL STORAGE AREA




Ag+ technology prevents the formation of bacteria and unpleasant odor in ice storage area.



ELECTRONIC CONTROL




The electronic control system saving water and energy.



LARGE ICE STORAGE SPACE



It provides storage with the highest storage capacity.



T CLIMATE TYPE




It works with high performance without creating summer-winter difference with the tropical climate type,



EASY CLEAN AIR FILTER



It is possible to clean air filter between two lids easily.




DOOR WITH *HANDLE*



Isolated Door With Integrated Handle, insulated integrated door helps to store ice in the storage for a longer time.



POLYURETHANE *ISOLATED BODY*



Polyurethane Isolated Body With a rigid body with polyurethane insulation, can store ice in the reservoir for longer.



OPTIONAL SERVICE KIT *WITH DRAIN PUMP*



Optional service kit with drain pump can be installed on the product, ensuring a safe water drainage.



SILENT OPERATION *WITH MAGNETIC PUMP*



It operates silently with magnetic water pump.



SLIDING LID



Easy access to the ice bin with sliding lid mechanism.



MULTIFUNCTIONAL BUTTON



Cleaning button on the front, switches the machine to cleaning mode without removing front panel, and alerts if there is a malfunction or if the ice bin is full.



TOP COVER



Easy assembly and disassembly of the top cover with the help of two screws in the back without using any tools.



OPTIONAL POTENTIOMETER



Optional touch screen panel provides dimples size of ice cubes



frozy

Ice Usage *Information*

FOOD SERVICE	Approximate ice usage per day
Restaurant	0,3 kg per person
Cocktail	0,8 kg person/seat
Salad Bar	350 kg/m ³
Quick Service	150 ml, 200-300 ml drink

LODGING	Approximate ice usage per day
Guest ice	1,5 kg per room
Restaurant	0,4 kg per person
Cocktail	0,8 kg per person/seat
Catering	0,3 kişi per person

HEALTH	Approximate ice usage per day
Patient ice	3 kg per bed
Cafeteria	0,3 kg per person

BUFFET & MARKET	Approximate ice usage per day
Beverage	180 ml, per 350 ml drink
Cold plate	%50 more ice usage per day
Package ice	Weight of ice sold per day

Quality Certificates





FABRİKA - FACTORY
Organize Sanayi Bölgesi, 34. Cadde No:11
26110 Odunpazarı - ESKİŞEHİR / TÜRKİYE
☎ +90.222.236 82 20
☎ +90.222.236 82 21
✉ marketing@frozy.com.tr
✉ ales@frozy.com.tr



www.frozy.com.tr

